

721 Cortaro Dr. Sun City Center, FL 33573 NABIS & HEMP www.acslabcannabis.com

DEA No. RA0571996 FL License # CMTL-0003 CLIA No. 10D1094068

Amanita Muscaria +Lions Mane mix Wise Microdose Capsules Sample Matrix: Mushroom **Derivative Products** (Ingestion)



Not Detected

Certificate of Analysis

Compliance Test

Client Information:

Ecclesias Extracts

1460 Woolsey Heights

Colorado Springs, Colorado 80915

Order # ECC230418-120001 Order Date: 2023-04-18 Sample# AAEJ111

Batch # MA01 Cultivation Date: 0000-00-00 Production Date: 0000-00-00 Batch Date: 2023-04-14

Extracted From: Amanita Muscaria

Initial Gross Weight: 159.576 g Net Weight: 29.708 g

Sampling Date: 2023-04-18 Lab Batch Date: 2023-04-18

Number of Units: 1 Net Weight per Unit: 29.328 mg

Sampling Method: MSP 7.3.1



Amanita Analytes Specimen Weight: 584.090 mg

Tested SOP 13.058 (LCMS) **Alkaloid Potency Summary**

Total Alkaloids Total Psilocybin + Psilocin 0.145mg

Pieces For Panel: 60

LOD Analyte (%) 1.13F-05 5.21F-5 0.348 Ibotenic acid 3.4800 8.81E-06 5.21E-5 1.2100 0.121 Muscimol Muscarine 3.65E-06 0.2430 0.0243

Prep. By: 1195 Date: 2023-04-19 23:47:06 Analyzed By: 1232 Date: 2023-04-19 13:37:25 Date: 2023-04-27 19:50:04 Lab Batch #: AAEJ111-415 Date: 2023-04-27 19:50:04 Reviewed By: 1050

0.145mg 0.493%

Total Amanita Analytes

0.493%

Aixia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)







Definitions and Abbreviations used in this report: (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, , LOD = Limit of Detection, (μg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (μg/g), (aw) = Water Activity

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results onfidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



QA By: 1042 on 2023-04-27 20:18:02 V1

ABORATORY | BEYOND COMPLIAN Page 1 of 1